

PRODUCT INFORMATION SHEET

Olympus DS-2 Digital Conference Voice Recorder

© 2007 All Rights Reserved – HTH Engineering, Inc. Tarpon Springs, FL 34688 TEL: (727) 939-8853 <http://www.StartStop.com>

One of the highest performing, lowest cost digital recorders currently available, the **Olympus DS-2** comes standard with many features that makes it stand out among the competition. It's elegant, sturdy, and compact design gives you the power of a larger, more expensive recorder in or out of the office. From the box the DS-2 is ready to record more than 10 hours of superb quality SP DSS audio with its internal 64MB built-in memory. The DS-2 is simple to create, record, and play files with its easy to use pushbuttons. The DS-2 also includes a USB docking station. The DS-2 will also step up and perform in less than ideal conditions with its noise cancellation technology to reduce background noise in your recording and a backlit LCD screen so you can work even in no-light conditions.

This is the ideal recorder for those taking interviews or recording meetings, with its HQ (High Quality, CD-Quality WMA) recording mode, and SHQ (Stereo High Quality) mode with built-in stereo microphone.

Backlit LCD Screen

High Quality
Recording

Noise Cancelling

Toll Free Tech
Support Included



Transcribe your Olympus DSS files with The Start Stop Universal Transcription System. Check it out at <http://www.StartStop.com/sst2.asp>

HTH ENGINEERING, INC.

Tarpon Springs, FL 34688
Web: <http://www.StartStop.com>
Email: Webmaster@StartStop.com
Call: (866) 254-0714 (toll free)
Fax: (810) 821-6940

OLYMPUS
PROFESSIONAL LINE
Authorized Dealer


Features

Includes

Includes DS-2 Digital Voice Recorder, Carrying Case, 64MB built-in media, cradle/docking station with USB Cable, DSS Player software, Stereo Earphones, User manual, 2 x (AAA) Alkaline Batteries, and 1 year warranty plus Tech Support

Recording Capacity

Built in 64MB memory card records for up to 10 hrs 25 minutes hours in SP Mode, 22 hours in LP Mode, 4 hours 20 minutes in HQ Mode



PRODUCT INFORMATION SHEET

Olympus DS-2 Digital Conference Voice Recorder

© 2007 All Rights Reserved – HTH Engineering, Inc. Tarpon Springs, FL 34688 TEL: (727) 939-8853 <http://www.StartStop.com>

FEATURES



The built-in stereo microphone records in stereo to pick up both sides of a conversation with equal clarity.



Includes the Olympus DSS Player Software



Cradle provides for fast and easy uploading/downloading off data to PC



Enjoy up to 10 hours 25 minutes of recording time for capturing lectures, meetings, interviews, notes and more in SP mode.



A large, full-dot, backlit LCD is easy to read so you can be aware of file information, recording time, events and more at all times.

Recording Format	DSS(LP/SP)/WMA(HQ/SSP/SHQ)
Recording Media	64 MB Built-In Flash
Recording Time	22 hours 20 min (LP), 10 hours 25 min (SP), 4 hours 20 min (HQ) 2 hours 10 min (SSP) , 1 hour 5 min (SHQ)
Input Level	-70 dB.
LCD	Large, backlit LCD screen
LED	Yes
Folders Messages	Five (5) folders capable of storing up to 199 files each
Sampling Frequency	SHQ 44.1kHz:128kbps, SSP 44.1kHz:64kbps, HQ 44.1kHz: 32kbps,SP 12kHz:13.7kbps, LP 8kHz:6.3kbps
Overall Frequency Response	SHQ 100-17000Hz ,SSP 100-8000Hz ,HQ 100-7000Hz, SP 200- 5000Hz, LP 200-3000Hz
LP Mode	Yes
Voice Activation	Yes
Practical Maximum Output	200 mW
Write Protection	No
Speaker	Built-in 23 mm round dynamic speaker.
Microphone Jack	3.5 mm mini-jack, impedance 2 k W.
Earphone Jack	3.5 mm mini-jack, impedance 8 W.
Power Supply	Rated voltage: 3 V DC.
Batteries	Ni-MH Rechargeable Battery Pack (BR402) or two (2) AAA batteries or two (2) Ni-MH rechargeable batteries (BR401)
External Power Supply	No
Battery Life	Alkaline: Recording (approx. 16 hours); Playback (approx. 9 hours) Ni-MH Rechargeable: Recording (approx. 12 hours); Playback (approx. 8 hours)
Size	122 x 37.5 x 17.5 (mm)
Weight	80 g

